

- 14 -

CLAIMS

1. Method for processing evaluation data comprising a data acquisition phase in which:
 - 5 a) at least one entity is created as a function of the intrinsic characteristics of said entity,
 - b) an initial state of said entity is created and acquired,
 - 10 c) an action is created and acquired as a function of the initial state, then
 - d) resultant states are created and acquired during the evolution of the state of said entity and at fixed times, said resultant states being at least a function of the initial state and the action;
- 15 a second phase of processing the data in which the statistical data is generated as a function of criteria fixed by following the structure of at least one of the events a), b), c) and d) of the acquisition phase.
- 20 2. Method according to claim 1, characterized in that the data relative to each entity are stored in a first "Information" database, while the structure of the events is contained in a second independent "Metabase" database.
- 25 3. Method according to claim 1 or 2, characterized in that the processing comprises a sampling stage in which a sub-population of given entities is selected.
- 30 4. Method according to claim 3, characterized in that the selection is carried out by choosing at least one variable in the structure of at least one event a), b), c) or d), and by allocating a given constraint to this variable.

- 15 -

5. Method according to any one of the preceding claims, characterized in that the processing comprises an analysis stage in which statistical data is generated in the form of values, tables or graphs.

5

6. Method according to claim 5, characterized in that the analysis is carried out by choosing at least one variable in the structure of at least one event a), b), c) or d).

10

7. Method according to any one of the preceding claims, characterized in that the events a), b), c) and d) are created in chronological order.

15

8. Method according to any one of the preceding claims, characterized in that acquisition is carried out by means of intuitive graphical interfaces.

20

9. Method according to any one of the preceding claims, characterized in that the structure of each event is controlled by the metabase.

10. System for processing evaluation data comprising the acquisition means for:

25

a) creating at least one entity as a function of the intrinsic characteristics of this entity,

b) creating and acquiring an initial state of said entity,

30

c) creating and acquiring an action as a function of the initial state, then

d) creating and acquiring, during the evolution of the state of said entity and at fixed times, resultant states, these resultant states being at least a function of the initial state and the

35

action;

and the means for processing data to generate statistical data as a function of fixed criteria by

- 16 -

following the structure of at least one of the events a), b), c) and d).

11. System according to claim 10, characterized in that
5 it comprises a first "Information" database to store the data relative to each entity and a second independent "Metabase" database containing the structure of the events.

10 12. System according to claim 10 or 11, characterized in that the means of data processing comprise a sampling module to select a sub-population of given entities and an analysis module to generate statistical data in the form of values, tables or graphs.

15 13. System according to claim 11 or 12, characterized in that the acquisition and processing means consist of generic interfaces capable of exploring the structure of the events.